

WEST Search History for Application 10603416

Creation Date: 2009021622:58

Query	DB	Op.	Plur.	Thes.	Date
(obtain\$3 or get\$4)near5(packet)near5(information or data)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
(determin\$4 or look\$3 or figur\$4)near5(packet)near5(table or database) and ((obtain\$3 or get\$4)near5(packet)near5(information or data))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
(obtain\$3 or get\$4)near5(index or pointer or reference)near5(table or database)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
((determin\$4 or look\$3 or figur\$4)near5(packet)near5(table or database) and (obtain\$3 or get\$4)near5(packet)near5(information or data)) and ((obtain\$3 or get\$4)near5(index or pointer or reference)near5(table or database))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
stor\$3 near5(index or pointer or reference)near5(data near3 structure)with(packet)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
(filter or firewall or rules)near5(database or list or table)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
(determin\$4 or figur\$4)near5(new near4 connection)	PGPB, USPT, EPAB, JPAB,	OR	YES		08-17-2008

	DWPI, TDBD				
(cross-link\$4 or link\$3)near5(network near4 address near4 translation or address near4 resolution or connection near4 table)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
((cross-link\$4 or link\$3)near5(network near4 address near4 translation or address near4 resolution or connection near4 table)) and (canonical near4 frame near4 headers or frame near4 headers)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
726/3.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
726/2.ccls.and ((filter or firewall or rules)near5(database or list or table))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
726/13.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
726/1.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
726/11.ccls. and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
		OR	YES		08-17-2008

726/12.ccls.and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
726/14.ccls.and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
713/154.ccls.and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
713/160.ccls.and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
709/223.ccls.and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
709/224.ccls.and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
709/225.ccls.and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
709/229.ccls.and (connection near4 table or ((filter or firewall or rules)near5(database or list or table)))	PGPB, USPT, EPAB, JPAB,	OR	YES		08-17-2008

	DWPI, TDBD				
(determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
((determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)) and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
(network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and ((determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
((network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)) and (source near3 address or destination near3 address and source near3 port and destination near3 port and ip near4 protocol) and ((network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
((network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security) and (source near3 address or destination near3 address and source near3 port and destination near3 port and ip near4 protocol) and (network near4 address near4 translation near4 table or connection near4 table or firewall	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008

near4 table) and ((determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)) and network near4 address near4 resolution near3 table					
network near4 address near4 translation and address near4 resolution near4 table and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
routing near4 table and ((stateful)with(firewall))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
(routing near4 table and (stateful)with(firewall)) and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
((stateful)with(firewall)) and ((determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
((stateful)with(firewall) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)) and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
(five-tuple) and firewall	PGPB, USPT, EPAB, JPAB,	OR			08-17-2008

	DWPI, TDBD				
packet and connection near3 table	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
(packet and connection near3 table) and firewall	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
(packet and connection near3 table and firewall) and (source near3 address or destination near3 address and source near3 port and destination near3 port and ip near4 protocol)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
(packet and connection near3 table and firewall and (source near3 address or destination near3 address and source near3 port and destination near3 port and ip near4 protocol) and address near4 resolution	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			08-17-2008
Thomas near Maufer.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
Paul Gyugyi.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
Sameer near Nanda.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
Paul near SidenBlad.in.		OR	YES		08-17-2008

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
Nvidia.as.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		08-17-2008
(stateful)with(firewall)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
((stateful)with(firewall)) and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
((determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
((determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)) and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
(network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and ((determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
((network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type	PGPB, USPT, EPAB,	OR			02-16-2009

or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)) and (source near3 address or destination near3 address and source near3 port and destination near3 port and ip near4 protocol) and ((network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security))	JPAB, DWPI, TDBD				
((network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security) and (source near3 address or destination near3 address and source near3 port and destination near3 port and ip near4 protocol) and (network near4 address near4 translation near4 table or connection near4 table or firewall near4 table) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)) and network near4 address near4 resolution near3 table	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
network near4 address near4 translation and address near4 resolution near4 table and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
routing near4 table and ((stateful)with(firewall))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
(routing near4 table and (stateful)with(firewall)) and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009

((stateful)with(firewall)) and ((determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
((stateful)with(firewall) and (determin\$3 or figur\$3)near5(packet)with(packet near4 type or TCP or transmission near4 control near4 protocol or UDP or user near4 datagram near4 protocol or generic near4 routing near4 encapsulation or IP or internet near4 protocol near4 security)) and five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
five-tuple	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
(five-tuple) and firewall	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
packet and connection near3 table	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
(packet and connection near3 table) and firewall	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
(packet and connection near3 table and firewall) and (source near3 address or destination near3 address and source near3 port and destination near3 port and ip near4 protocol)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-16-2009
(address near resolution near table)near5(cross-linked or join\$5 or intersect\$5 or connect\$5)near5(state near table or filter near table or firewall near table)	PGPB, USPT, EPAB, JPAB,	OR	YES		02-16-2009

	DWPI, TDBD				
(determin\$5 or figur\$5)near5(mac or media near access near control)near5(address near resolution near table)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-16-2009
(address near resolution)with(index or pointer)near5(table or database)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-16-2009
726/3.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-16-2009
726/13.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-16-2009
726/1.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-16-2009
Paul near Gyugyi.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-16-2009
Sameer near Nanda.in.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-16-2009
Paul near Sidenblad.in.		OR	YES		02-16-2009

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
Nvidia.as.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-16-2009